

Safety Data Sheet

TEROSON MS 9120 GY

Page 1 of 11

SDS No.: 633737

V001.2 Date of issue: 08.04.2024

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: TEROSON MS 9120 GY

Intended use: MS Sealant

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

Emergency Telephone for Chemical Accidents:

24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

Section 2. Hazards identification

Classification of the substance or mixture

Not hazardous according to the criteria of Safe Work Australia.

No classification required.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Section 3. Composition / information on ingredients

General chemical description: Mixture

Silane-modified polyether

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Calcium carbonate	471-34-1	30- < 60 %
Titanium dioxide $< 1\%$ particles with diameter ≤ 10	13463-67-7	< 10 %
μm		
Trimethoxyvinylsilane	2768-02-7	< 1 %
methanol	67-56-1	< 1 %
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	< 1 %
non hazardous ingredients~		30- <= 60 %

SDS No.: 633737

TEROSON MS 9120 GY

V001.2

Section 4. First aid measures

Ingestion: Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

Skin: Rinse with running water and soap. Apply replenishing cream. Change all contaminated

clothing.

Eyes: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if

necessary.

Inhalation: Move to fresh air, consult doctor if complaint persists.

First Aid facilities: Eye wash

Normal washroom facilities

Medical attention and special

treatment:

Treat symptomatically.

Section 5. Fire fighting measures

Suitable extinguishing media: All common extinguishing agents are suitable.

Improper extinguishing media: High pressure waterjet

Particular danger in case of fire: In case of fire toxic gases can be released.

Special protective equipment for

fire-fighters:

Wear self-contained breathing apparatus.

Wear protective equipment.

Section 6. Accidental release measures

Personal precautions: Avoid skin and eye contact.

Wear protective equipment. Ensure adequate ventilation. See advice in section 8

Environmental precautions: Do not empty into drains / surface water / ground water.

Clean-up methods: Remove mechanically.

Dispose of contaminated material as waste according to Section 13.

Section 7. Handling and storage

Precautions for safe handling: Avoid skin and eye contact.

Conditions for safe storage: Ensure good ventilation/extraction.

Store in tightly closed containers. In a cool/well-ventilated area.

Keep away from sources of ignition.

Section 8. Exposure controls / personal protection

V001.2

National exposure standards:

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (ppm)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
CALCIUM CARBONATE 471-34-1	Inhalable dust.		10				
Titanium dioxide 13463-67-7	Inhalable dust.		10				
Methyl alcohol 67-56-1		200	262				
Methyl alcohol 67-56-1						250	328

Engineering controls: Ensure good ventilation/extraction.

Eye protection: Safety goggles or safety glasses with side shields.

Skin protection: Chemical resistant, impermeable gloves.

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties

Appearance: Gray Paste

Odor: Characteristic

Not applicable, Product reacts with water. pH:

Melting point / freezing point: Not applicable, Determination technically not possible

Boiling point: $> 250 \, ^{\circ}\text{C} \, (> 482 \, ^{\circ}\text{F})$ Flash point: Not applicable

Flammability (solid, gas): The product is not flammable.

Vapor pressure: < 0.1 hPa

(; 20 °C (68 °F))

Vapor density: Not applicable, Product is a solid.

Density: 1.46 g/cm3

VOC content (2010/75/EC) 0 % (VOCV 814.018 VOC regulation CH)

Section 10. Stability and reactivity

Stability: Stable under recommended storage conditions.

Conditions to avoid: None if used for intended purpose.

Incompatible materials: None if used for intended purpose.

Hazardous decomposition

products:

No decomposition if used according to specifications.

Section 11. Toxicological information

TEROSON MS 9120 GY

Health Effects:

Ingestion: May cause gastrointestinal tract irritation if swallowed.

Skin: May cause skin irritation.

Eyes: Causes serious eye irritation.

Inhalation: Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Chronic effects:

methanol Neurological symptoms; irritation to the nasal mucous membranes through exposure to higher vapor concentrations; headaches, blurred vision and nausea; damage to the skin due to repeated

contact; prenatal toxic effects were seen in rats and mice.

Aggravated med. condition:

Eye, skin, and respiratory disorders.

Acute toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
Calcium carbonate	LD50	> 2,000 mg/kg	oral		rat	OECD Guideline 420 (Acute
471-34-1	LC50	> 3 mg/l	inhalation	4 h	rat	Oral Toxicity)
	LD50	> 2,000 mg/kg	dermal		rat	OECD Guideline 403 (Acute
						Inhalation Toxicity)
						OECD Guideline 402 (Acute
						Dermal Toxicity)
Titanium dioxide < 1%	LD50	> 5,000 mg/kg	oral		rat	OECD Guideline 425 (Acute
particles with diameter ≤	LC50	> 6.82 mg/l	inhalation	4 h	rat	Oral Toxicity: Up-and-Down
10 μm	LD50	>= 10,000	dermal		hamster	Procedure)
13463-67-7		mg/kg				not specified
		5.000 1				not specified
Trimethoxyvinylsilane	LD50	6,899 mg/kg	oral	1.,	rat	equivalent or similar to OECD
2768-02-7	LC50	16.8 mg/l	inhalation	4 h	rat	Guideline 401 (Acute Oral
	LD50	3,158 mg/kg	dermal		rabbit	Toxicity)
						equivalent or similar to OECD Guideline 403 (Acute
						Inhalation Toxicity)
						equivalent or similar to OECD
						Guideline 402 (Acute Dermal
						Toxicity)
methanol	Acute	300 mg/kg	oral			Expert judgement
67-56-1	toxicity	300 mg/kg	Orar			Expert judgement
0, 20 1	estimate	500 1119 119	dermal			Zapert judgement
	(ATE)		dellina			
	Acute					
	toxicity					
	estimate					
	(ATE)					
Bis(2,2,6,6-tetramethyl-4-	LD50	3,700 mg/kg	oral		rat	OECD Guideline 423 (Acute
piperidyl) sebacate	LD50	> 3,170 mg/kg			rat	Oral toxicity)
52829-07-9			dermal			OECD Guideline 402 (Acute
						Dermal Toxicity)

Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Calcium carbonate 471-34-1	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Titanium dioxide < 1% particles with diameter ≤ 10 μm 13463-67-7	not irritating	4 h	rabbit	equivalent or similar to OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Trimethoxyvinylsilane 2768-02-7	not irritating		rabbit	other guideline:
methanol 67-56-1	not irritating	20 h	rabbit	BASF Test
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	not irritating	24 h	rabbit	EPA OPP 81-5 (Acute Dermal Irritation)

Page 5 of 11

Serious eye damage/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
Calcium carbonate	not irritating		rabbit	OECD Guideline 405 (Acute
471-34-1				Eye Irritation / Corrosion)
Titanium dioxide < 1%	not irritating		rabbit	OECD Guideline 405 (Acute
particles with diameter ≤				Eye Irritation / Corrosion)
10 μm				
13463-67-7				
Trimethoxyvinylsilane	not irritating		rabbit	OECD Guideline 405 (Acute
2768-02-7				Eye Irritation / Corrosion)
methanol	not irritating		rabbit	OECD Guideline 405 (Acute
67-56-1				Eye Irritation / Corrosion)
Bis(2,2,6,6-tetramethyl-4-	corrosive	24 h	rabbit	OECD Guideline 405 (Acute
piperidyl) sebacate				Eye Irritation / Corrosion)
52829-07-9				

${\bf Respiratory\ or\ skin\ sensitization:}$

Hazardous components CAS-No.	Result	Test type	Species	Method
Calcium carbonate 471-34-1	not sensitising	Mouse local lymphnod e assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Titanium dioxide < 1% particles with diameter ≤ 10 µm 13463-67-7	not sensitising	Mouse local lymphnod e assay (LLNA)	mouse	equivalent or similar to OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Trimethoxyvinylsilane 2768-02-7	sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
methanol 67-56-1	not sensitising	Guinea pig maximisat ion test	guinea pig	equivalent or similar to OECD Guideline 406 (Skin Sensitisation)
Bis(2,2,6,6-tetramethyl-4- piperidyl) sebacate 52829-07-9	not sensitising	Guinea pig maximisat ion test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

V001.2

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Calcium carbonate 471-34-1	negative negative negative	bacterial reverse mutation assay (e.g Ames test) in vitro mammalian chromosome aberration test mammalian cell gene mutation assay	with and without with and without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Titanium dioxide < 1% particles with diameter ≤ 10 µm 13463-67-7	negative negative negative	bacterial reverse mutation assay (e.g Ames test) in vitro mammalian chromosome aberration test mammalian cell gene mutation assay	with and without with and without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Titanium dioxide < 1% particles with diameter ≤ 10 µm 13463-67-7	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
Trimethoxyvinylsilane 2768-02-7	negative positive negative	bacterial reverse mutation assay (e.g Ames test) in vitro mammalian chromosome aberration test mammalian cell gene mutation assay	with and without with and without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Trimethoxyvinylsilane 2768-02-7	negative	intraperitoneal		mouse	other guideline:
methanol 67-56-1	negative negative negative	bacterial reverse mutation assay (e.g Ames test) in vitro mammalian cell micronucleus test mammalian cell gene mutation assay	with and without without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) not specified equivalent or similar to OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
methanol 67-56-1	negative	intraperitoneal		mouse	equivalent or similar to OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
Bis(2,2,6,6-tetramethyl-4- piperidyl) sebacate 52829-07-9	negative negative negative	bacterial reverse mutation assay (e.g Ames test) in vitro mammalian chromosome aberration test mammalian cell gene mutation assay	with and without with and without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Page 7 of 11

SDS No.: 633737 V001.2

TEROSON MS 9120 GY

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
Calcium carbonate 471-34-1	NOAEL=1,000 mg/kg	oral: gavage	48 ddaily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Titanium dioxide < 1% particles with diameter ≤ 10 µm 13463-67-7	NOAEL=1,000 mg/kg	oral: gavage	90 ddaily	rat	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Trimethoxyvinylsilane 2768-02-7	NOAEL=62.5 mg/kg	oral: gavage	42ddaily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Trimethoxyvinylsilane 2768-02-7	NOAEL=0.605 mg/l	inhalation: vapour	5 days/week for 14 weeks6 hours/day	rat	not specified
Trimethoxyvinylsilane 2768-02-7	NOAEL=50 mg/kg	oral: gavage	28 ddaily	rat	OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
methanol 67-56-1	NOAEL=6.63 mg/l	inhalation: vapour	4 weeks6 h/d, 5 d/w	rat	equivalent or similar to OECD Guideline 412 (Repeated Dose Inhalation Toxicity: 28/14- Day)
methanol 67-56-1	NOAEL=0.13 mg/l	inhalation: vapour	12 m20 h/d	rat	equivalent or similar to OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Bis(2,2,6,6-tetramethyl-4- piperidyl) sebacate 52829-07-9	NOAEL=36 mg/kg	oral: feed	daily	rat	other guideline:

Section 12. Ecological information

 $\label{lem:constraint} \textbf{General ecological information:}$

Do not empty into drains / surface water / ground water.

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Calcium carbonate 471-34-1	LC50	Toxicity > Water solubility	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute
Calcium carbonate 471-34-1	EC50	Toxicity > Water solubility	Daphnia	48 h	Daphnia magna	Toxicity Test) OECD Guideline 202 (Daphnia sp. Acute Immobilisation
Calcium carbonate 471-34-1	EC50	Toxicity > Water solubility	Algae	72 h	Desmodesmus subspicatus	Test) OECD Guideline 201 (Alga, Growth
Calcium carbonate 471-34-1	NOEC	14 mg/l	Algae	72 h	Desmodesmus subspicatus	Inhibition Test) OECD Guideline 201 (Alga, Growth
Calcium carbonate 471-34-1	EC50	Toxicity > Water solubility	Bacteria	3 h	activated sludge of a predominantly domestic sewage	Inhibition Test) OECD Guideline 209 (Activated Sludge, Respiration
Titanium dioxide $< 1\%$ particles with diameter ≤ 10 μm	LC50	Toxicity > Water solubility	Fish	48 h	Danio rerio	Inhibition Test) other guideline:
$13463-67-7$ Titanium dioxide < 1% particles with diameter ≤ 10 μm	NOEC	Toxicity > Water solubility	Fish	8 d	Danio rerio	OECD Guideline 212 (Fish, Short- term Toxicity Test
$13463\text{-}67\text{-}7$ Titanium dioxide < 1% particles with diameter \leq 10 μm	EC50	Toxicity > Water solubility	Daphnia	48 h	Daphnia magna	on Embryo and Sac-Fry Stages) OECD Guideline 202 (Daphnia sp. Acute
$13463\text{-}67\text{-}7$ Titanium dioxide < 1% particles with diameter \leq 10 μm	EC50	Toxicity > Water solubility	Algae	72 h	Pseudokirchneriella subcapitata	Immobilisation Test) OECD Guideline 201 (Alga, Growth Inhibition Test)
$13463\text{-}67\text{-}7$ Titanium dioxide < 1% particles with diameter \leq 10 μm	NOEC	Toxicity > Water solubility	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
$13463-67-7$ Titanium dioxide < 1% particles with diameter ≤ 10 μm $13463-67-7$	EC50	Toxicity > Water solubility	Bacteria	3 h	activated sludge	ISO 8192 (Test for Inhibition of Oxygen Consumption by
Trimethoxyvinylsilane 2768-02-7	LC50	191 mg/l	Fish	96 h	Oncorhynchus mykiss	Activated Sludge) OECD Guideline 203 (Fish, Acute
Trimethoxyvinylsilane 2768-02-7	EC50	168.7 mg/l	Daphnia	48 h	Daphnia magna	Toxicity Test) EU Method C.2 (Acute Toxicity for
Trimethoxyvinylsilane 2768-02-7	EC50	> 957 mg/l	Algae	72 h	Desmodesmus subspicatus	Daphnia) EU Method C.3 (Algal Inhibition test)
Trimethoxyvinylsilane 2768-02-7	NOEC	957 mg/l	Algae	72 h	Desmodesmus subspicatus	EU Method C.3 (Algal Inhibition test)
Trimethoxyvinylsilane 2768-02-7	EC50	> 100 mg/l	Bacteria	3 h	activated sludge of a predominantly domestic sewage	OECD Guideline 209 (Activated Sludge, Respiration
methanol 67-56-1	LC50	15,400 mg/l	Fish	96 h	Lepomis macrochirus	Inhibition Test) EPA-660 (Methods for Acute Toxicity Tests with Fish,
methanol 67-56-1	NOEC	7,900 mg/l	Fish	200 h	Oryzias latipes	Macroinvertebrates and Amphibians) OECD Guideline 210 (fish early lite

TEROSON MS 9120 GY

methanol 67-56-1	EC50	18,260 mg/l	Daphnia	96 h	Daphnia magna	stage toxicity test) OECD Guideline 202 (Daphnia sp. Acute Immobilisation
methanol 67-56-1	EC50	22,000 mg/l	Algae	96 h	Selenastrum capricornutum (new name: Pseudokirchneriella	Test) OECD Guideline 201 (Alga, Growth
methanol 67-56-1	IC50	> 1,000 mg/l	Bacteria	3 h	subcapitata) activated sludge of a predominantly domestic sewage	Inhibition Test) OECD Guideline 209 (Activated Sludge, Respiration
Bis(2,2,6,6-tetramethyl-4 piperidyl) sebacate 52829-07-9	- LC50	4.4 mg/l	Fish	96 h	Lepomis macrochirus	Inhibition Test) OECD Guideline 203 (Fish, Acute Toxicity Test)
Bis(2,2,6,6-tetramethyl-4 piperidyl) sebacate 52829-07-9	- EC50	8.58 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute
						Test)
Bis(2,2,6,6-tetramethyl-4 piperidyl) sebacate 52829-07-9	- EC50	0.705 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Bis(2,2,6,6-tetramethyl-4 piperidyl) sebacate 52829-07-9	- EC10	0.188 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Bis(2,2,6,6-tetramethyl-4 piperidyl) sebacate 52829-07-9	- EC50	> 100 mg/l	Bacteria	3 h	activated sludge, domestic	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Trimethoxyvinylsilane 2768-02-7	not readily biodegradable.	aerobic	51 %	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)
methanol 67-56-1	readily biodegradable	aerobic	82 - 92 %	EU Method C.4-E (Determination of the "Ready" BiodegradabilityClosed Bottle Test)
Bis(2,2,6,6-tetramethyl-4- piperidyl) sebacate 52829-07-9	not readily biodegradable.	aerobic	24 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)

Bioaccumulative potential / Mobility in soil:

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
Calcium carbonate	-2.12					not specified
471-34-1						
methanol		< 10	72 h	Leuciscus idus		not specified
67-56-1				melanotus		
methanol	-0.77					other guideline:
67-56-1						
Bis(2,2,6,6-tetramethyl-4-	0.35				25 °C	OECD Guideline 107
piperidyl) sebacate						(Partition Coefficient (n-
52829-07-9						octanol / water), Shake
						Flask Method)

SDS No.: 633737 Page 10 of 11 TEROSON MS 9120 GY

V001.2

Section 13. Disposal considerations

Waste disposal of product: Dispose of in accordance with local and national regulations.

Disposal for uncleaned package: Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Not dangerous goods

Section 15. Regulatory information

SUSMP Poisons Schedule None

AIIC: All components are listed or are exempt from listing on the Australian Inventory of

Industrial Chemicals or Introduced under AICIS.

Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code

IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

AIIC - Australian Inventory of Industrial Chemicals (AIIC) AICIS - Australian Industrial Chemicals Introduction Scheme

Reason for issue: Reviewed SDS. Reissued with new date. involved chapters: 1-16 SDS No.: 633737 V001.2

TEROSON MS 9120 GY

Page 11 of 11

Date of previous issue:

03.12.2019

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.